

DATASHEET

Gen5 Size9 Inverter (*Automotive*)



The Gen5-S9 motor inverter is well-matched to satisfy requirements for On and Off-highway Electric and Hybrid Vehicles. It is specifically aimed at vehicle OEMs and system integrators to offer a compact, lightweight, robust and cost-effective product for traction, hybridisation, power generation and sub-system electrification. It can be paired with Turntide’s high power density Axial Flux motors, ideal for applications with a limited space envelope.




Features

- Supports AC Permanent Magnet synchronous and AC Induction motors
- Highly efficient advanced flux vector motor control
- Operates with a nominal 350VDC voltage
- Up to 400A_{rms} peak power output
- Up to 200A_{rms} continuous power output
- 12V or 24V logic supply
- Compliant to ISO16750
- Compliant to Reg10
- ISO26262 and ISO13849 capable to ASIL C

Specifications

Electrical			
Maximum Voltage (without derating)	420Vdc	Peak Current (1 min)	400A _{rms}
Nominal Battery Voltage	350Vdc	Continuous Current (60m)	200A _{rms}
Min Battery Voltage	128Vdc	100% Derating Voltage	450Vdc
Communication			
Communications	CAN 2.0B	Control	CAN Slave Only
Communications Protocol	H-Protocol (J1939) and UDS		

I/O			
Encoders	<ul style="list-style-type: none">Absolute sin/cosUVWABResolver automatic gain		
Thermistors	2 x PT1000 or PT100 inputs*		
*Two variants of hardware. One that supports PT1000, one that supports PT100			
Environmental			
IP Rating	IP67 / IP6K9K	Ambient Temperature	-40°C to +85°C Automatic derating above 50°C
Flow Rate	10 l/min	Coolant Temperature	-40°C to +85°C (with 50:50 Water Glycol mix) Automatic derating above 50°C
Safety			
Standards	<ul style="list-style-type: none">IEC60664ISO6469	<ul style="list-style-type: none">ISO26262 & ISO13849Reg10	<ul style="list-style-type: none">HVIL on I/O connector
Weight and Dimensions			
Dry Weight	7kg		
<div></div>			

For further information please contact our team of experts at electrificationsales@turntide.com

TURNTIDE TECHNOLOGIES

Our breakthrough technologies accelerate electrification and sustainable operations for energy-intensive industries

Turntide Technologies | 1295 Forgewood Avenue, Sunnyvale, CA 94089

turntide.com | electrificationsales@turntide.com

